

Velocity HP1000

Sample Nameplate


MODEL: S-HP1000

U= 220 V 60 Hz P= 21.0K

I= 55 A Pf Φ= >0.9 Phase 3

MFG. DATE: (month) (year)

S/N VELXXXXX




ETS LLC. 7445 COMPANY DR. INDIANAPOLIS, IN. 46237

Located on back of unit, near power cut-out, or inside front ballast tray. See illustration below and on reverse.

Electrical Requirements

- The **Velocity HP1000** operates from either a 3-phase (three wire plus ground) or 1-phase (two wire plus ground) 220V AC power source**. The unit should be wired to a dedicated circuit. Minimum recommended circuit breaker is **80A 3-phase**, or **150A 1-phase**.
- A power cable must be brought to the unit (see illustration, bottom). No power cord supplied.
- The T-Max® cable (RJ-22 or RJ-11 for wireless) plugs into the back of the unit near the power inlet (see illustration, bottom).



WARNING


To maintain your T-Max® warranty use only approved modular cables or wireless modules, available from T-Max® or ETS, LLC.

****IMPORTANT**

Voltage must be below 230V AC (loaded) or may require a Buck-Booster.




This equipment must be grounded.

This product is in conformity with performance standards for sun lamp products under 21 CFR PART 1040.20 and ANSI/UL Standard 482. Certified to CAN/CSA Standard C22.2 NO. 224.



Spec Sheet - HP1000 continued


Physical Specs



⚠ CAUTION


Air from the room is used to cool the unit. Maximum ambient room temperature should be 80°F. It is recommended that you place your sunbed no closer than 8" from side walls. Make sure nothing obstructs the airflow into or out of the fan openings. A poorly ventilated room may cause the unit to become hot and cause discomfort to the user.

* **NOTE:** Minimum room size **does not** account for swinging doors. Be sure to adjust construction plans accordingly.



Overall Size	96"L x 76"H x 70"D
Recommended Room Size	10' x 10' (3m x 3m)
Minimum Room Size*	9'-4"L x 8'W (2.8m x 2.4m)
Weight	approx. 1000 lbs (455 kg)
Exhaust	One 12" diameter duct
Exhaust cfm	2100cfm
Recommended A/C Tonnage (room)	3.0
Remote Cable	RJ-22 or Wireless T-Max® module

FRONT OF UNIT



CALL FOR SERVICE OR QUESTIONS: 1•800•449•3605
7445 Company Drive, Indianapolis, IN 46237-9296